Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S58	204	semantic near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 11:24
S59	39	"707"/\$.ccls. and semantic near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 11:24
S60	172	"707"/\$.ccls. and semantic with unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 11:24
S61	867	semantic with unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 07:58
S62	663	S61 not S58	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/29 11:24
S84	12	semantic\$4 with unit and (document file) with (search\$4 quer\$4) and (plural\$4 multiple "more than one" "one or more") with (multi\$word compound) with (string sub\$string text phrase term keyword)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:27
S85	0	semantic\$4 near unit and (document file) with (search\$4 quer\$4) and (plural\$4 multiple "more than one" "one or more") with (multi\$word compound) with (string sub\$string text phrase term keyword)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:28
S86	66	semantic with unit with (search\$4 quer\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:28
S87	2	semantic with unit with (search\$4 quer\$4) and (multi\$word compound) with (phrase text term string sub\$string)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:31
S88	14	semantic with unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:34

S89	12	S88 not S87	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:32
S90	9	semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:36
S91	8	S90 not S87	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 08:35
S92	9	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:04
S93	6	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:25
S94	5	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and calculat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:25
S95	2	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and calculat\$4 with (value weight)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:27
S96	3	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and calculat\$4 with (rat\$4 rank\$4 value weight)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:29

S97	6	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:30
S98	3	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) with compar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:30
S99	3	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) with compar\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:31
S10 0	6	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:31
S10 1		semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:32
S10 2	0	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with corpus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:32

S10 3	5	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:33
S10 4	3	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	⊙R	ON	2005/03/30 09:34
S10 5		semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 09:34
S10 6	4	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	⊙R 	ON	2005/03/30 09:35
S10 7	4	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 10:28

S10 8	2	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (identif\$4 establish\$4 detect\$4 recogniz\$4) with semantic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 10:16
S10 9	4	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:49
S11 0	1	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) with list	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 10:29
S11 1	1	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) with (list listing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 10:35

S11 2		semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and user with (select\$4 pick\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:46
S11 3	4	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:49
S11 4	4	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:49

S11 5	2	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user with (select\$4 pick\$4 choos\$4 click\$4 tag\$4) with (semantic unit word keyword phrase)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:51
S11 6	2	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user and (select\$4 pick\$4 choos\$4 click\$4 tag\$4) with (semantic unit word keyword phrase)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/30 12:51
S11 7	3	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user and (select\$4 pick\$4 choos\$4 click\$4 tag\$4 identif\$4) with (semantic unit word keyword "word number" phrase)	US-PĞPUB; USPAT; EPO; JPO; IBM_TDB	OR·	ON	2005/03/31 13:15

S11 8	0	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user and (select\$4 pick\$4 choos\$4 click\$4 tag\$4 identif\$4) with (semantic unit word keyword "word number" phrase) and calculat\$4 with compar\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 13:15
S11 9	1	semantic near2 unit and semantic near2 unit with (search\$4 quer\$4) and (multi\$word compound phrase) with (text term string sub\$string) and (search\$4 quer\$4) with (document file) and (calculat\$4 rank\$4 rat\$4) with (value weight rank\$4 rat\$4) and compar\$6 and inde\$4 with (document file) and internet and web with (file document page) and (relat\$4 relevan\$4) with (file document) and compar\$4 and user and (select\$4 pick\$4 choos\$4 click\$4 tag\$4 identif\$4) with (semantic unit word keyword "word number" phrase) and calculat\$4 with relev\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/31 13:16